Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	97	("5509123" "5916306" "6038594" "5237654" "5634010" "5721925" "5812779" "6014700" "6014628" "4536873" "5218676" "5249270" "5355492" "5398245" "5504688" "5519705" "5568484" "5588003" "5612711" "5680461" "5802370" "5802309" "5838690" "5850449" "5870564" "5875242" "5966513" "5966509" "6005858" "6009440" "6016318" "6039245" "6041123" "6042477" "6044369" "6047324" "6067572" "6115041" "6119156" "6128315" "6137869" "6141325" "6157636" "6157648" "6169475" "6185623" "6205473" "6216173" "6216173" "6216173" "6216173" "6216173"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 17:52
S2	112	("6295576" "6317748" "6338117" "6393474" "6430275" "6434608" "6563796" "6769124" "6826599" "6839340" "6839809" "5951649" "4593735" "5351237" "5662440" "5930708" "5963554" "6003083" "6128509" "4247511" "4281570" "4287627" "4292870" "4294297" "4299263" "4304276" "4305439" "4308902" "4312391" "4313478" "4323100" "4343849" "4377102" "4394800" "4403457" "4434824" "4463785" "4480949" "4490920" "4509572" "4524812" "4551047" "4573276" "4576213" "4586497" "4593734" "4593731").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 17:52
S3	2008	(709/238).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 17:54
S4	16305	(automat\$6 or self) same routing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 17:54
S5	0	("I3and(self-contained)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 17:56

S6	2008	(709/238).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 17:18
S7	34	S6 and (self-contained)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:18
S8	25	S7 and @ad < "20010904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:19
S9	4	(object with router) and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:22
S10	8761	(self-contained or self-sufficient or self-program\$3) same (object or (object near5 router))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:24
S11	6940	(self-contained or self-sufficient or self-program\$3) with (object or (object near5 router))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:24
S12	4	S6 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:26
S13	793	(719/315).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 17:26
S14	0	("I6andI8").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 17:26
S15	37	S11 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:26

S16	31	S15 and @ad < "20010904"	US-PGPUB;	OR	ON	2005/04/20 17:36
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
S17	0	S16 and (self-programmed same (data adj1 format\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:31
S18	0	S16 and (self-programmed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:31
S19	0	S13 and (object same (self-program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:31
S20	1	S13 and (object same (self-program\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/04/20 17:32
S21	129	(object adj1 oriented) with routing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:32
S22	2	S16 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:34
S23	112	S21 and @ad < "20010904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:34
S24	23	S16 and (rout\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:52
S25	30	(format\$4 with data) same (object with (self-contained or self-programmed or self-sufficient))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:48

S26	12	S25 and @ad < "20010904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:49
S27	2271	(object with router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:52
S28	1	(self-programmed) and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:55
S29	1	S6 and (self-programmed with object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:55
S30	1	S6 and (self-programmed same object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:55
S31	1	S6 and (self-programmed same router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:55
S32	. 0	S6 and (self-configured same router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:56
S33		S6 and (self-sufficient same router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:56
S34	6	S6 and (self-contained same router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 17:56
S35	800	(719/315).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 10:33

S36	0	("I10and@ad<20010904").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 10:33
S37	658	S35 and @ad < "20010904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 10:34
S38	47	S37 and (self-contained or self-programmed or (self adj1 format\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 10:51
S39	3	router and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 10:38
S40	277	object adj1 router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 10:38
S41	3	S37 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 10:38
S42	27	format\$1 and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 10:52
S43	2019	(709/238).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 13:04
S44	8	S35 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 13:04

S45	97	("5509123" "5916306" "6038594" "5237654" "5634010" "5721925" "5812779" "6014700" "6014628" "4536873" "5218676" "5249270" "5355492" "5398245" "5504688" "5519705" "5568484" "5588003" "5612711" "5680461" "5802370" "5802309" "5838690" "5850449" "5870564" "5875242" "5966513" "5966509" "6005858" "6009440" "6016318" "6039245" "6041123" "6042477" "6044369" "6047324" "6067572" "6115041" "6119156"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 13:16
		"6128315" "6137869" "6141325" "6157636" "6157648" "6169475" "6185623" "6205473" "6216173" "6216173" "6272537").pn.				
S46	97	S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 13:24
S47	40	router with (self-contained or self-programmed or self-utilized)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 13:25
S48	27	S47 and @ad < "20010904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 13:25
S49	0	ravi-narayanan.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 13:41
S50	3914	ravi.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 13:41
S51	0	ravi-narayanan.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 13:42
S52	7556	ravi\$9.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 13:42

S53	11	patchet.in.	US-PGPUB;	OR	ON	2005/05/02 13:42
			USPAT; EPO; JPO; DERWENT; IBM_TDB			2003,03,02 13.72
S54	1137	router\$1 with ((translat\$3 conver\$4 or transform\$3) with (format\$1 or version\$1 or protocol\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 12:12
S55	43	(object adj1 oriented) and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 11:38
S56	27	S55 and @ad < "20010904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 11:39
S57	0	(self-contained or self-programmed or self-independent) and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 11:55
S58	31	(self-contained or self-programmed or self-independent) and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 11:40
S59	17	S58 and @ad < "20010904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 11:45
S60	6787	(self-contained or self-programmed or self-independent) with object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 11:55
S61	2402	(self-contained or self-programmed or self-independent) near2 object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 11:56
S62	0	S54 and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 11:56

		·				
S63	9	(router\$1 same (translat\$3 or conver\$4 or format\$4 or transform\$3)) and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 12:00
S64	5485	(router\$1 with (translat\$3 or conver\$4 or format\$4 or transform\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 12:00
S65	3	S61 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 12:00
S66	0	S54 and (object with (self-contained or self-programmed or self-independent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/05/09 12:05
S67	1	S54 and (object same (self-contained or self-programmed or self-independent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 12:05
S68	13	(US-20020002632-\$ or US-20030023766-\$ or US-20050002399-\$ or US-20030033331-\$).did. or (US-5794005-\$ or US-5951649-\$ or US-5960214-\$ or US-6023724-\$ or US-6260021-\$ or US-6356956-\$ or US-6578090-\$ or US-6848108-\$ or US-6480860-\$).did.	US-PGPUB; USPAT	OR	ON	2005/05/09 12:06
S69	5	S68 and (router same (translat\$3 or conver\$4 or transform\$3 or format\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 12:11
S70	1	(object adj1 router\$1) with ((translat\$3 conver\$4 or transform\$3) with (format\$1 or version\$1 or protocol\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 12:13
S71	1	(object adj1 router\$1) same ((translat\$3 conver\$4 or transform\$3) with (format\$1 or version\$1 or protocol\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 12:13

S72	10	(object adj1 router\$1) with (translat\$3 conver\$4 or transform\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 12:13
S73	5	S72 and @ad < "20010904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 12:15
S74	53 .	(object adj1 oriented) with router\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 12:15
S75	51	S74 and @ad < "20020904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 12:16
S76	2	(self-contained or self-programmed) and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 12:16
S77	5485	router\$1 with (translat\$3 or conver\$4 or transform\$3 or format\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:28
S78	240	S77 and (object near5 oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:15
S79	132	S78 and @ad < "20010904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 14:52
S80	21307	router\$1 with (translat\$3 or conver\$4 or transform\$3 or format\$4 switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:14
S81	1161	S80 and (object near5 oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:14

r		T 1841		<u>,. </u>		
S82	3138	router\$1 near5 (translat\$3 or conver\$4 or transform\$3 or format\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:14
S83	140	S82 and (object near5 oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:15
S84	105	S83 and @ad < "20020904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:28
S85	279	object adj1 router\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:30
S86	172	S85 and (translat\$3 or conver\$4 or transform\$3 or format\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:29
S87	115	S86 and @ad < "20010904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:29
S88	29	(object adj1 router\$1) with (translat\$3 or conver\$4 or transform\$3 or switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:30
S89	20	S88 and @ad < "20010904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 16:06
S90	6782	object with self-contained	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 16:06
S91	2399	object near2 self-contained	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 16:06

S92	220	(object adj1 oriented) and S91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 16:07
S93	37	router and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 16:07
S94	24	S93 and @ad < "20010904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 16:07
S95	0	(router\$1 near10 (translat\$3 or transform\$5 or conver\$4)) with (download\$3 near10 (instruction\$1 or software))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 16:16
S96	2	(router\$1 near10 (translat\$3 or transform\$5 or conver\$4)) same (download\$3 near10 (instruction\$1 or software))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 16:17
S97	3	(router\$1 with (translat\$3 or transform\$5 or conver\$4)) same (download\$3 with (instruction\$1 or software))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 16:18
S98	4430	(router\$1 with (translat\$3 or transform\$5 or conver\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 16:32
S99	262	S98 and (external with (software or instruction\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 16:33
S10 0	157	S99 and @ad < "20010904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 16:34
S10 1	51	download\$3 and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 16:19

S10 2	11550	(router\$1 or gateway) with (translat\$3 or transform\$5 or conver\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 16:33
S10 3	379	S102 and (external near5 (software or instruction\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 16:33
S10 4	166	S102 and (external near2 (software or instruction\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 16:55
S10 5	95	S104 and @ad < "20010904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 17:28
S10 6	29	S102 and ((download\$3 or receiv\$3) with (external near2 (software or instruction\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 16:56
S10 7	8	S106 and @ad < "20010904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 16:56
S10 8	1810	proprietary adj1 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 17:32
S10 9	31	(proprietary adj1 data) same (standard adj1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 17:29
S11 0	11	S109 and @ad < "20010904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 17:33
S11 1		"20020161801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 17:31

	•					
S11 2	0	S111 and (proprietary adj1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 17:32
S11 3	0	S111 and (proprietary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 17:32
S11 4	3	"6195709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 17:32
S11 5	0	S114 and (proprietary adj1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 17:33
S11 6	0	S114 and (proprietary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 17:34
S11 7	2	S110 and router\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 17:33
S11 8	25	S105 and (proprietary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 17:34